



**THE  
GLOW  
YOU  
KNOW**

# CONTENTS

---

PRODUCT TYPES	<b>05</b>
12V LIGHTING	<b>07</b>
12V BULB PLACEMENT	<b>08</b>
H-SERIES	<b>12</b>
HYPER-POWER SERIES	<b>22</b>
WEDGE INSERT	<b>25</b>
PLUG INSERT	<b>27</b>
P-SERIES	<b>28</b>
R-SERIES	<b>29</b>
FEESTON	<b>30</b>
MOTORCYCLE LIGHTING	<b>31</b>
HID HEADLIGHTS	<b>33</b>
BALLAST	<b>36</b>

---

---

24V LIGHTING	<b>38</b>
24V BULB PLACEMENT	<b>39</b>
24V H-SERIES	<b>41</b>
24V SIGNALING & INTERIOR LIGHTING	<b>43</b>
MINI RELAYS	<b>45</b>
FUSES	<b>47</b>
SOCKETS	<b>49</b>
PACKAGING	<b>51</b>
PRODUCT GLOSSARY	<b>53</b>
PRODUCT BASES	<b>55</b>
OUR CERTIFICATION	<b>56</b>
OUR PROCESS	<b>57</b>

---

# PRODUCTS TYPES



## LONG LIFE SERIES

Endurance bulbs lasting 200–300% longer



## YELLOW GOLD

Vibrant warmth for style without strain



## SUPER VISION

Up to 110% brighter



## ALL WEATHER


Penetrating light for safe travels in all conditions



Explore our wide selection of special bulb categories and coatings for cars, motorcycles and heavy-duty vehicles



**PLUS 200 ULTRA**



**STANDARD**

**PLUS 200 ULTRA**

Further visibility for faster reaction times



**SUPER WHITE**



**STANDARD**

**SUPER WHITE**

Brilliantly bright, 4300K white light




**PLATINUM WHITE**



**STANDARD**

**PLATINUM WHITE**

Bright, 5000k daylight-white light



**HEAVY DUTY**

Rugged and reliable, with vibration resistance



**HEAVY DUTY LONG LIFE**

Increased vibration resistance and endurance



**RALLY**

Maximum durability and performance



# 12V

A vehicle's lighting system is a complex network, with each bulb playing a vital, specific role. From lighting the road ahead to signaling intentions to other drivers, our comprehensive range of 12V halogen bulbs is engineered to ensure the job gets done safely and with style. Expect superior reliability, optimal light output, and a perfect fit for every make and model.

# CAR LIGHTING

## LOW BEAM / HIGH BEAM



## INTERIOR LIGHTS



## DAYTIME RUNNING LIGHTS



## SIDE INDICATORS



## FRONT INDICATORS



## FRONT FOG LIGHTS



Choosing the right light is crucial for safety and performance. From headlights to brake lights, every location on a vehicle requires a specific bulb designed for a specific purpose. This guide illustrates exactly which go where.

### DASHBOARD LIGHTS



W1.2W  
W2.3W      W3W  
W5W

### REAR FOG LIGHTS



H21W      P21W      PR21W  
W16W      PS19W

### LICENSE PLATE LIGHTS



W3W  
W5W      R5W  
R10W      C5W  
FEST10W

### TRUNK LIGHTS



R5W  
R10W      C5W  
FEST10W

### 3RD STOP LIGHT



W1.2W  
W2.3W      W3W  
W5W      W16W      R5W  
R10W      W21W

### REAR PARKING LIGHTS



W5W      P21/4W      P21/5W  
R5W  
R10W      H6W  
H10W      T4W

### REAR INDICATORS



R5W  
R10W      W16W      P21W  
PY21W      P27W      RY10W  
WY21W      PSY19W      PSY24W  
SILVER AMBER  
PSY24W      W21W      H21W



### STOP LIGHTS



P21W      P21/4W  
P21/5W      PY21W      PR21W      PY27/7W      P27/7W      P27W      W21W      W21/5W      W16W

# MOTORCYCLE LIGHTING

## LOW BEAM / HIGH BEAM



H1



H3



H4



H7



H9



H11



HS1



9005



9006



M5-1



M5-3



M5  
BA20d



R2



S2



## FRONT PARKING LIGHT



W3W  
W5W



W16W



R5W  
R10W



H6W  
H10W



T4W

## FRONT INDICATORS



W3W  
W5W



W16W



W21W



WY21W



WY5W



RY10W



R5W  
R10W



H21W



P21W



P21/5W



PY21W

On motorcycles, lights are lifelines. From the right headlight to cut through the gloom to the brake and turn lights that announce next moves, each bulb is critical for a safe and enjoyable ride. This guide ensures the right lights wind up in the right places.

### DASHBOARD LIGHTS



W1,2W  
W2,3W



W3W  
W5W

### REAR PARKING LIGHTS



W3W  
W5W

R5W  
R10W

W21/5W

P21W

P21/5W

### LICENSE PLATE LIGHTS



W3W  
W5W

R5W  
R10W

C5W

H6W  
H10W

T4W



### REAR INDICATORS



W3W  
W5W

R5W  
R10W

W16W

P21W

PY21W

W21W

WY21W

RY10W

H21W

### STOP LIGHTS



R5W

W16W

W21/5W

P21W

P21/5W

PR21W

PR21/5W




# H-SERIES

The H-Series represents the core of our halogen expertise. Engineered with precision, these robust and reliable bulbs deliver fine-tuned beam patterns and consistent performance, forming the foundation of a vehicle's lighting system.

# H1

E4





Low beam / high beam / Front fog lights



Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL12551	H1	Standard	12	55	P14.5s	3200K
FL12551LL	H1	Long Life	12	55	P14.5s	3150K
FL12551SVU	H1	Super Vision Ultra	12	55	P14.5s	3600K
FL12551PW	H1	Platinum White	12	55	P14.5s	5000K
FL12551AW	H1	All Weather	12	55	P14.5s	3000K
FL12551Y	H1	Yellow Gold	12	55	P14.5s	2500K
FL12551SW	H1	Super White	12	55	P14.5s	4300K
FL121001R	H1	Rally	12	100	P14.5s	3200K

# H3

E4




Low beam / high beam / Front fog lights



Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL12553	H3	Standard	12	55	PK22s	3200K
FL12553SVU	H3	Super Vision Ultra	12	55	PK22s	3600K
FL12553PW	H3	Platinum White	12	55	PK22s	5000K
FL12553AW	H3	All Weather	12	55	PK22s	3000K
FL12553Y	H3	Yellow Gold	12	55	PK22s	2500K
FL12553SW	H3	Super White	12	55	PK22s	4300K
FL121003R	H3	Rally	12	100	PK22s	3200K

# H4

E1 E4




Low beam / high beam



Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL12604	H4	Standard	12	60/55	P43t	3200K
FL12604LL	H4	Long Life	12	60/55	P43t	3150K
FL12604SLL	H4	Super Long Life	12	60/55	P43t	3100K
FL12604SVU	H4	Super Vision Ultra	12	60/55	P43t	3600K
FL12604PW	H4	Platinum White	12	60/55	P43t	5000K
FL12604AW	H4	All Weather	12	60/55	P43t	3000K
FL12604Y	H4	Yellow Gold	12	60/55	P43t	2500K
FL12604PU	H4	Plus 200 Ultra	12	60/55	P43t	3500K
FL12604SW	H4	Super White	12	60/55	P43t	4300K
FL121004R	H4	Rally	12	100/90	P43t	3200K

# H7

E1 E4



Low beam / high beam / Front fog lights



Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL12557	H7	Standard	12	55	PX26d	3200K
FL12557LL	H7	Long Life	12	55	PX26d	3150K
FL12557SLL	H7	Super Long Life	12	55	PX26d	3100K
FL12557SVU	H7	Super Vision Ultra	12	55	PX26d	3600K
FL12557PW	H7	Platinum White	12	55	PX26d	5000K
FL12557AW	H7	All Weather	12	55	PX26d	3000K
FL12557Y	H7	Yellow Gold	12	55	PX26d	2500K
FL12557PU	H7	Plus 200 Ultra	12	55	PX26d	3500K
FL12557SW	H7	Super White	12	55	PX26d	4300K
FL121007R	H7	Rally	12	100	PX26d	3200K

# H8

E4




Front fog lights



Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL12358	H8	Standard	12	35	PGJ19-1	3200K
FL12358AW	H8	All Weather	12	35	PGJ19-1	3000K
FL12358Y	H8	Yellow Gold	12	35	PGJ19-1	2500K
FL12358SW	H8	Super White	12	35	PGJ19-1	4300K

# H9

E4




Low beam / high beam



Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL12659	H9	Standard	12	65	PGJ19-5	3200K
FL12659SW	H9	Super White	12	65	PGJ19-5	4300K

# H10

E4




Low beam / high beam



Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL9145	H10	Standard	12	42	PY20d	3200K

# H11

E4




Low beam / high beam / Front fog lights



# H12

E4



Front fog lights



# H13

E4



Low beam / high beam




Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL125511	H11	Standard	12	55	PGJ19-2	3200K
FL125511SVU	H11	Super Vision Ultra	12	55	PGJ19-2	3400K
FL125511PW	H11	Platinum White	12	55	PGJ19-2	5000K
FL125511AW	H11	All Weather	12	55	PGJ19-2	3000K
FL125511Y	H11	Yellow Gold	12	55	PGJ19-2	2500K
FL125511PU	H11	Plus 200 Ultra	12	55	PGJ19-2	3500K
FL125511SW	H11	Super White	12	55	PGJ19-2	4300K

Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL125312	H12	Standard	12	53	PZ20d	3200K

Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL126013	H13	Standard	12	60/55	P26.4t	3200K
FL1210013R	H13	Rally	12	100/80	P26.4t	3200K

# H15

E4




Low beam / high beam



<b>Part No.</b>	FL12155515
<b>Spec.</b>	H15
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	15/55
<b>Base</b>	PGJ23T-1
<b>Color Temp</b>	3200K

# H16




Front fog lights



<b>Part No.</b>	FL121916
<b>Spec.</b>	H16
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	19
<b>Base</b>	PGJ19-3
<b>Color Temp</b>	3200K

# H8B




Front fog lights



<b>Part No.</b>	FL12358B
<b>Spec.</b>	H8B
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	35
<b>Base</b>	PGJY19-1
<b>Color Temp</b>	3200K

# H9B




Front fog lights



<b>Part No.</b>	FL12659B
<b>Spec.</b>	H9B
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	65
<b>Base</b>	PGJY19-5
<b>Color Temp</b>	3200K

# H11B




Front fog lights



<b>Part No.</b>	FL125511B
<b>Spec.</b>	H11B
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	55
<b>Base</b>	PGJY19-2
<b>Color Temp</b>	3200K

# H18




Front fog lights, low beam / high beam



<b>Part No.</b>	FL126518
<b>Spec.</b>	H18
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	65
<b>Base</b>	PY26d-1
<b>Color Temp</b>	3200K

# H19




Low beam / high beam



<b>Part No.</b>	FL126019
<b>Spec.</b>	H19
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	60/65
<b>Base</b>	PU43t-3
<b>Color Temp</b>	3200K

# 9004 (HB1)




Low beam / high beam



<b>Part No.</b>	FL9004	FL9004R
<b>Spec.</b>	9004	9004
<b>Type</b>	Standard	Rally
<b>Volt</b>	12	12
<b>Watt</b>	65/45	100/80
<b>Base</b>	P29t	P29t
<b>Color Temp</b>	3200K	3200K

# 9005 (HB3) E4




Low beam / high beam / Front fog lights



Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL9005	9005	Standard	12	65	P20d	3200K
FL9005SVU	9005	Super Vision Ultra	12	65	P20d	3600K
FL9005PW	9005	Platinum White	12	65	P20d	5000K
FL9005Y	9005	Yellow Gold	12	65	P20d	2500K
FL9005PU	9005	Plus 200 Ultra	12	65	P20d	3500K
FL9005AW	9005	All Weather	12	65	P20d	3000K
FL9005SW	9005	Super White	12	65	P20d	4300K
FL9005R	9005	Rally	12	100	P20d	3200K

# 9005XS




Low beam / high beam



Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL9005X	9005XS	Standard	12	65	Special	3200K


## 9006 (HB4) E4



Low beam / high beam / Front fog lights




## 9006XS



Low beam / high beam



## 9007 (HB5)



Low beam / high beam




Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL9006	9006	Standard	12	55	P22d	3200K
FL9006SVU	9006	Super Vision Ultra	12	55	P22d	3600K
FL9006PW	9006	Platinum White	12	55	P22d	5000K
FL9006Y	9006	Yellow Gold	12	55	P22d	2600K
FL9006PU	9006	Plus 200 Ultra	12	55	P22d	3500K
FL9006AW	9006	All Weather	12	55	P22d	3000K
FL9006SW	9006	Super White	12	55	P22d	4300K
FL9006R	9006	Rally	12	80	P22d	3200K

Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL9006X	9006XS	Standard	12	55	Special	3200K

Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL9007	9007	Standard	12	65/55	PX29t	3200K
FL9007R	9007	Rally	12	100/80	PX29t	3200K

## 9011




Low beam / high beam



<b>Part No.</b>	FL9011
<b>Spec.</b>	9011
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	65
<b>Base</b>	PX20d
<b>Color Temp</b>	3300K

## 9012

E4




Low beam / high beam



<b>Part No.</b>	FL9012
<b>Spec.</b>	9012
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	55
<b>Base</b>	PX22d
<b>Color Temp</b>	3300K

## 880 (H27W-1)




Front fog lights



<b>Part No.</b>	FL88027
<b>Spec.</b>	880
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	27
<b>Base</b>	PG13
<b>Color Temp</b>	3000K

## 881 (H27W-2)




Front fog lights



<b>Part No.</b>	FL88127
<b>Spec.</b>	881
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	27
<b>Base</b>	PGJ13
<b>Color Temp</b>	3000K

## 885



Front fog lights



<b>Part No.</b>	FL88550
<b>Spec.</b>	885
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	50
<b>Base</b>	PG13
<b>Color Temp</b>	3000K

## H6W

E4




License plate lights, front parking light, rear parking light



<b>Part No.</b>	FL1266
<b>Spec.</b>	H6W
<b>Volt</b>	12
<b>Watt</b>	6
<b>Base</b>	BAX9s

## H10W




License plate lights, front parking light, rear parking light



<b>Part No.</b>	FL121010
<b>Spec.</b>	H10W
<b>Volt</b>	12
<b>Watt</b>	10
<b>Base</b>	BA9s

## H21W

E4




Front / side / rear indicators, rear fog lights



<b>Part No.</b>	FL122121
<b>Spec.</b>	H21W
<b>Volt</b>	12
<b>Watt</b>	21
<b>Base</b>	BAY9s






## HYPER- POWER SERIES

Engineered specifically for indicators and fog lights, the Hyper-Power Series cuts through haze, glare, and rain with intense, focused light. An essential component upgrade for visibility and safety in all conditions.

## PS24W

E4




Front fog lights



<b>Part No.</b>	FL1224PS
<b>Spec.</b>	PS24W
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	24
<b>Base</b>	PG20-3
<b>Color Temp</b>	3000K

## PSX24W

E4




Front fog lights



<b>Part No.</b>	FL1224PSX
<b>Spec.</b>	PSX24W
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	24
<b>Base</b>	PG20-7
<b>Color Temp</b>	3000K

## PCY16W

E4




Side indicators



<b>Part No.</b>	FL1216PCY
<b>Spec.</b>	PCY16W
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	16
<b>Base</b>	PU20d-2
<b>Color Temp</b>	2300K

## PSY19W




Rear indicators



<b>Part No.</b>	FL1219PSY
<b>Spec.</b>	PSY19W
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	19
<b>Base</b>	PG20-2
<b>Color Temp</b>	1700K

## PSY24W

E4




Front indicators



<b>Part No.</b>	FL1224PSY
<b>Spec.</b>	PSY24W
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	24
<b>Base</b>	PG20-4
<b>Color Temp</b>	1700K

## PY24W

E4




Front indicators, rear indicators



<b>Part No.</b>	FL1224PY
<b>Spec.</b>	PY24W
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	24
<b>Base</b>	PGU20-4
<b>Color Temp</b>	1700K

## PS19W




Daytime running lights, rear fog lights



<b>Part No.</b>	FL1219PS
<b>Spec.</b>	PS19W
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	19
<b>Base</b>	PG20-1
<b>Color Temp</b>	3000K

## P13W

E4




Daytime running lights



<b>Part No.</b>	FL1213P
<b>Spec.</b>	P13W
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	13
<b>Base</b>	PG18.5d-1
<b>Color Temp</b>	2800K

## PSY24W




Front indicators, rear indicators



<b>Part No.</b>	FL1224PSYSA
<b>Spec.</b>	PSY24W SILVER AMBER
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	24
<b>Base</b>	PG20-4
<b>Color Temp</b>	1800K

## HP24W




Front fog lights



<b>Part No.</b>	FL1224HP
<b>Spec.</b>	HP24W
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	24
<b>Base</b>	HPSL2A
<b>Color Temp</b>	3000K

## HP24WY



Front indicators




<b>Part No.</b>	FL1224HPY
<b>Spec.</b>	HP24WY
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	24
<b>Base</b>	HPSL2A
<b>Color Temp</b>	1700K

# WEDGE INSERT

Our Wedge Insert bulbs are designed for quick installations and seamless, secure connections. They perform reliably across a wide array of functions, combining ease of installation with long-term durability.

## W1,2W




3rd stop light, dashboard lights



<b>Part No.</b>	FL12125
<b>Spec.</b>	W1,2W
<b>Volt</b>	12
<b>Watt</b>	1.2
<b>Base</b>	W2x4.6d

## W2,3W




3rd stop light, dashboard lights



<b>Part No.</b>	FL12235
<b>Spec.</b>	W2,3W
<b>Volt</b>	12
<b>Watt</b>	2.3
<b>Base</b>	W2x4.6d

## W3W

E4




Front /rear/side indicators, front/rear parking lights, 3rd stop light, licence plate, dashboard lights, interior lights



<b>Part No.</b>	FL12310
<b>Spec.</b>	W3W
<b>Volt</b>	12
<b>Watt</b>	3
<b>Base</b>	W2.1x9.5d

## W5W

E4




Front /rear/side indicators, front/rear parking lights, 3rd stop light, licence plate, dashboard lights, interior lights



<b>Part No.</b>	FL12510
<b>Spec.</b>	W5W
<b>Volt</b>	12
<b>Watt</b>	5
<b>Base</b>	W2.1x9.5d

## WY5W

E4




Front / side indicators



<b>Part No.</b>	FL12510A
<b>Spec.</b>	WY5W
<b>Volt</b>	12
<b>Watt</b>	5
<b>Base</b>	W2.1x9.5d

## W16W

E4




3rd stop light, front/rear indicators,  
front parking light, rear fog lights



<b>Part No.</b>	FL121615
<b>Spec.</b>	W16W
<b>Volt</b>	12
<b>Watt</b>	16
<b>Base</b>	W2.1x9.5d

## WY16W

E4




Side indicators



<b>Part No.</b>	FL121615A
<b>Spec.</b>	WY16W
<b>Volt</b>	12
<b>Watt</b>	16
<b>Base</b>	W2.1x9.5d

## W21W

E4




Stop light, 3rd stop light,  
front / rear indicators



<b>Part No.</b>	FL122120
<b>Spec.</b>	W21W
<b>Volt</b>	12
<b>Watt</b>	21
<b>Base</b>	W3x16d

## WY21W

E4




Front / rear indicators



<b>Part No.</b>	FL122120A
<b>Spec.</b>	WY21W
<b>Volt</b>	12
<b>Watt</b>	21
<b>Base</b>	W3x16d

## W21/5W

E4



Stop lights, rear parking lights




<b>Part No.</b>	FL1221520
<b>Spec.</b>	W21/5W
<b>Volt</b>	12
<b>Watt</b>	21/5
<b>Base</b>	W3x16q

# PLUG INSERT

Like our Wedge Insert line, our Plug Insert bulbs are reliable and easy to install. Designed primarily for use as indicators and stop lights, these bulbs are built to keep drivers safe.


## P27W



Stop lights, rear / front indicators




## P27/7W



Stop lights



## PY27/7W



Stop lights



<b>Part No.</b>	FL3156
<b>Spec.</b>	P27W
<b>Volt</b>	12
<b>Watt</b>	27
<b>Base</b>	W2.5x16d

<b>Part No.</b>	FL3157
<b>Spec.</b>	P27/7W
<b>Volt</b>	12
<b>Watt</b>	27/7
<b>Base</b>	W2.5x16q

<b>Part No.</b>	FL3157A
<b>Spec.</b>	PY27/7W
<b>Volt</b>	12
<b>Watt</b>	27/7
<b>Base</b>	W2.5x16q

# P-SERIES

P-Series miniature bulbs are designed for durable versatility throughout various applications

## P21W

E4




Stop lights, rear fog lights, rear/front indicators, rear parking lights



<b>Part No.</b>	FL122125
<b>Spec.</b>	P21W
<b>Volt</b>	12
<b>Watt</b>	21
<b>Base</b>	BA15s

## PY21W

E4



Stop lights, rear / front indicators



<b>Part No.</b>	FL122125A
<b>Spec.</b>	PY21W
<b>Volt</b>	12
<b>Watt</b>	21
<b>Base</b>	BAU15s

## PR21W




Rear fog lights, stop lights



<b>Part No.</b>	FL122125R
<b>Spec.</b>	PR21W
<b>Volt</b>	12
<b>Watt</b>	21
<b>Base</b>	BAW15s

## P21/4W

E4




Stop lights, rear parking lights



<b>Part No.</b>	FL1221425
<b>Spec.</b>	P21/4W
<b>Volt</b>	12
<b>Watt</b>	21/4
<b>Base</b>	BAZ15d

## P21/5W

E4



Stop lights, front indicators, rear parking lights




<b>Part No.</b>	FL1221525
<b>Spec.</b>	P21/5W
<b>Volt</b>	12
<b>Watt</b>	21/5
<b>Base</b>	BAY15d

# R-SERIES

Robust, multipurpose miniatures covering an exceptionally wide range of applications.

## R5W

E4




3rd stop light, license plate, front/side/rear indicators, trunk lights, front/rear parking light



<b>Part No.</b>	FL12516
<b>Spec.</b>	R5W
<b>Volt</b>	12
<b>Watt</b>	5
<b>Base</b>	BA15s

## R10W

E4




3rd stop light, license plate, front/side/rear indicators, trunk lights, front/rear parking light



<b>Part No.</b>	FL121016
<b>Spec.</b>	R10W
<b>Volt</b>	12
<b>Watt</b>	10
<b>Base</b>	BA15s

## RY10W




3rd stop light, front / rear indicators



<b>Part No.</b>	FL12516A
<b>Spec.</b>	RY10W
<b>Volt</b>	12
<b>Watt</b>	5
<b>Base</b>	BA15s

## T4W

E4



Side indicators, front / rear parking lights, licence plate lights, interior lights



<b>Part No.</b>	FL12485
<b>Spec.</b>	T4W
<b>Volt</b>	12
<b>Watt</b>	4
<b>Base</b>	BA9s


# FESTOON

Made to fit perfectly in interior, trunk, and license plate light fixtures. Our Festoon bulbs provide clean and even illumination with a secure fit that prevents flickering and premature failure.



## C5W-36<sup>MM</sup>

E4




Interior lights, trunk lights, licence plate



<b>Part No.</b>	FL125×36
<b>Spec.</b>	C5W
<b>Volt</b>	12
<b>Watt</b>	5
<b>Base</b>	SV8.5

## FESTOON -31MM




Interior lights, trunk lights, licence plate



<b>Part No.</b>	FL1210×31
<b>Spec.</b>	Festoon
<b>Volt</b>	12
<b>Watt</b>	10
<b>Base</b>	SV8.5

## FESTOON -38MM




Interior lights, trunk lights, licence plate



<b>Part No.</b>	FL1210×38
<b>Spec.</b>	Festoon
<b>Volt</b>	12
<b>Watt</b>	10
<b>Base</b>	SV8.5

## FESTOON -41MM




Interior lights, trunk lights, licence plate



<b>Part No.</b>	FL1210×41
<b>Spec.</b>	Festoon
<b>Volt</b>	12
<b>Watt</b>	10
<b>Base</b>	SV8.5

## FESTOON -43MM



Interior lights, trunk lights, licence plate




<b>Part No.</b>	FL1210×43
<b>Spec.</b>	Festoon
<b>Volt</b>	12
<b>Watt</b>	10
<b>Base</b>	SV8.5



# MOTORCYCLE

Subjected to constant vibration and weather, motorcycle lighting demands durability. Our bike-specific bulbs are built tough enough to handle harsh conditions, so riders can remain safe, visible and in control.

# HS1




Low beam / high beam



<b>Part No.</b>	FL12351
<b>Spec.</b>	HS1
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	35/35
<b>Base</b>	PX43t
<b>Color Temp</b>	3200K

# M5-1




Low beam / high beam



<b>Part No.</b>	FL12255-1	FL12355-1R
<b>Spec.</b>	M5	M5
<b>Type</b>		Standard
<b>Volt</b>	12	12
<b>Watt</b>	25/25	35/30
<b>Base</b>	P15d-25-1	P15d-25-1
<b>Color Temp</b>	3200K	3200K

# R2

E4




Low beam / high beam



<b>Part No.</b>	FL12452
<b>Spec.</b>	R2
<b>Range</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	45/40
<b>Base</b>	P45t
<b>Color Temp</b>	3200K

# M5-3




Low beam / high beam



<b>Part No.</b>	FL12255-3	FL12355-3R
<b>Spec.</b>	M5	M5
<b>Type</b>		Standard
<b>Volt</b>	12	12
<b>Watt</b>	25/25	35/30
<b>Base</b>	P15d-25-3	P15d-25-3
<b>Color Temp</b>	3200K	3200K

# S2




Low beam / high beam



<b>Part No.</b>	FL12352
<b>Spec.</b>	S2
<b>Range</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	35/35
<b>Base</b>	BA20d
<b>Color Temp</b>	3200K

# M5<sup>BA20d</sup>




Low beam / high beam



<b>Part No.</b>	FL12355D
<b>Spec.</b>	M5
<b>Type</b>	Standard
<b>Volt</b>	12
<b>Watt</b>	35/35
<b>Base</b>	BA20d
<b>Color Temp</b>	3200K

# **HID HEADLIGHT LAMPS**




H.I.D. stands for High-Intensity Discharge, and our systems are exactly that—intense. They harness powerful xenon technology to deliver a definitive visibility upgrade, producing a brighter, whiter, daylight-like beam that dramatically improves nighttime driving clarity and reduces eye fatigue.

Boasting exceptional brightness and longevity with significantly lower power consumption, our HID line is the premier aftermarket lighting solution.

## D1S


E1 E4



Low beam / high beam

## D1R


E8 E11



Low beam / high beam

## D2S

E1 E4



Low beam / high beam


<b>Part No.</b>	FL85351S
<b>Spec.</b>	D1S
<b>Volt</b>	85
<b>Watt</b>	35
<b>Base</b>	PK32d-2
<b>Color Temp</b>	4300K-6000K

<b>Part No.</b>	FL85351R
<b>Spec.</b>	D1R
<b>Volt</b>	85
<b>Watt</b>	35
<b>Base</b>	PK32d-3
<b>Color Temp</b>	4300K-6000K

<b>Part No.</b>	FL85352S
<b>Spec.</b>	D2S
<b>Volt</b>	85
<b>Watt</b>	35
<b>Base</b>	P32d-2
<b>Color Temp</b>	4300K-6000K

# D2R

E8 E11




Low beam / high beam

<b>Part No.</b>	FL85352R
<b>Spec.</b>	D2R
<b>Volt</b>	85
<b>Watt</b>	35
<b>Base</b>	P32d-3
<b>Color Temp</b>	4300K-6000K

# D3S

E1 E4 E11




Low beam / high beam

<b>Part No.</b>	FL42353S
<b>Spec.</b>	D3S
<b>Volt</b>	42
<b>Watt</b>	35
<b>Base</b>	PK32d-5
<b>Color Temp</b>	4300K-6000K

# D3R

E11




Low beam / high beam

<b>Part No.</b>	FL42353R
<b>Spec.</b>	D3R
<b>Volt</b>	42
<b>Watt</b>	35
<b>Base</b>	PK32d-6
<b>Color Temp</b>	4300K-6000K

# D4S

E8 E11




Low beam / high beam

<b>Part No.</b>	FL42354S
<b>Spec.</b>	D4S
<b>Volt</b>	42
<b>Watt</b>	35
<b>Base</b>	P32d-5
<b>Color Temp</b>	4300K-6000K

# D4R


E4 E11



Low beam / high beam

<b>Part No.</b>	FL42354R
<b>Spec.</b>	D4R
<b>Volt</b>	42
<b>Watt</b>	35
<b>Base</b>	P32d-6
<b>Color Temp</b>	4300K-6000K

# D5S



Low beam / high beam

<b>Part No.</b>	FL42255S
<b>Spec.</b>	D5S
<b>Volt</b>	42
<b>Watt</b>	25
<b>Base</b>	PK32d-7
<b>Color Temp</b>	4800K

# BALLAST



<b>Part No.</b>	FLB001
<b>Equivalent Brand</b>	AL Bosch
<b>Equivalent NR</b>	1307329060



<b>Part No.</b>	FLB002
<b>Equivalent Brand</b>	AL Bosch
<b>Equivalent NR</b>	1307329312



<b>Part No.</b>	FLB003
<b>Equivalent Brand</b>	Mitsubishi
<b>Equivalent NR</b>	W003T20171



<b>Part No.</b>	FLB004
<b>Equivalent Brand</b>	Mitsubishi
<b>Equivalent NR</b>	W003T22071



<b>Part No.</b>	FLB005
<b>Equivalent Brand</b>	Hella
<b>Equivalent NR</b>	5DV008290-00



<b>Part No.</b>	FLB006
<b>Equivalent Brand</b>	Hella
<b>Equivalent NR</b>	5DV009000-00



<b>Part No.</b>	FLB007
<b>Equivalent Brand</b>	Valeo
<b>Equivalent NR</b>	89034934



<b>Part No.</b>	FLB008
<b>Equivalent Brand</b>	Valeo
<b>Equivalent NR</b>	89035113



<b>Part No.</b>	FLB009
<b>Equivalent Brand</b>	AL
<b>Equivalent NR</b>	1307329153



<b>Part No.</b>	FLB010
<b>Equivalent Brand</b>	Hella
<b>Equivalent NR</b>	5DV009610-00



<b>Part No.</b>	FLB011
<b>Equivalent Brand</b>	Mitsubishi
<b>Equivalent NR</b>	W3T13271



<b>Part No.</b>	FLB012
<b>Equivalent Brand</b>	Hella
<b>Equivalent NR</b>	5DV007760-63



<b>Part No.</b>	FLB013
<b>Equivalent Brand</b>	Valeo
<b>Equivalent NR</b>	89089352



<b>Part No.</b>	FLB014
<b>Equivalent Brand</b>	Panasonic
<b>Equivalent NR</b>	NZMNS111LBNA



<b>Part No.</b>	FLB015
<b>Equivalent Brand</b>	Osram
<b>Equivalent NR</b>	35XT6



<b>Part No.</b>	FLB016
<b>Equivalent Brand</b>	Mitsubishi
<b>Equivalent NR</b>	W3T11971



<b>Part No.</b>	FLB017
<b>Equivalent Brand</b>	Denso
<b>Equivalent NR</b>	DDLT004



<b>Part No.</b>	FLB018
<b>Equivalent Brand</b>	Mitsubishi
<b>Equivalent NR</b>	W3T10471



<b>Part No.</b>	FLB019
<b>Equivalent Brand</b>	Mitsubishi
<b>Equivalent NR</b>	W3T21571



<b>Part No.</b>	FLB020
<b>Equivalent Brand</b>	Denso
<b>Equivalent NR</b>	DDLT002

# 24V

For commercial vehicles, reliability is non-negotiable, and our 24V bulbs are built to endure. These lamps are precision-engineered to handle extreme vibrations and long operating hours, delivering unwavering performance that keeps heavy-duty trucks and buses safely on the road. Our complete line provides durable, direct-fit replacements across all major commercial brands.

# HEAVY DUTY TRUCK AND BUS LIGHTING

## INTERIOR LIGHTS



## DASHBOARD LIGHTS



## FRONT INDICATORS



## FRONT PARKING LIGHT



## FRONT FOG LIGHTS



## LOW BEAM / HIGH BEAM



For trucks and buses, using the correct heavy-duty halogen bulb in each location is a critical safety and compliance issue. From high-output headlights to durable marker lights, every position requires a specific type built to endure rigorous use.

**SIDE INDICATORS**



**STOPLIGHTS**



**REAR FOG LIGHTS**



**LICENSE PLATE LIGHTS**




**REAR PARKING LIGHTS**



**RUNNING LIGHTS**




**REAR INDICATORS**



# 24V H-SERIES

Our 24V H-Series bulbs provide the exact beam patterns and intense output needed for large-scale illumination. These components maintain consistently outstanding performance under continuous operation, providing direct-fit solutions for heavy-duty headlight and fog light systems.



Low beam / high beam, front fog lights

Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL24701	H1	Standard	24	70	P14.5s	3200K
FL241001R	H1	Rally	24	100	P14.5s	3200K





Low beam / high beam, front fog lights


Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL24703	H3	Standard	24	70	PK22s	3200K
FL241003R	H3	Rally	24	100	PK22s	3200K



Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL24754	H4	Standard	24	75/70	P43t	3200K
FL241004R	H4	Rally	24	100/90	P43t	3200K



Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL24707	H7	Standard	24	70	PX26d	3200K
FL2470LL	H7	Heavy Duty Long Life	24	70	PX26d	3200K
FL241007R	H7	Rally	24	100	PX26d	3200K




Part No.	Spec.	Type	Volt	Watt	Base	Color Temp
FL247011	H11	Standard	24	70	PGJ19-2	3200K

# 24V SIGNALING AND INTERIOR LIGHTING


Our 24V miniature lamps are engineered for superior operational clarity. They ensure bright, unmistakable signals and clean, consistent cabin lighting, supporting both safety compliance and driver comfort.

## W1,2W




Dashboard lights

## W3W W5W



Interior, dashboard, license plate, front parking, side indicators, running lights

## R5W R10W



Interior, license plate, front parking, side indicators, running, rear parking lights


<b>Part No.</b>	FL24125
<b>Spec.</b>	W1,2W
<b>Volt</b>	24
<b>Watt</b>	1.2
<b>Base</b>	W2x4.6d

<b>Part No.</b>	FL24310	FL24510
<b>Spec.</b>	W3W	W5W
<b>Volt</b>	24	24
<b>Watt</b>	3	5
<b>Base</b>	W2.1x9.5d	W2.1x9.5d

<b>Part No.</b>	FL24516	FL241016
<b>Spec.</b>	R5W	R10W
<b>Volt</b>	24	24
<b>Watt</b>	5	10
<b>Base</b>	BA15s	BA15s

## P21W

E4




Front/rear indicators, stop lights,  
rear fog lights

<b>Part No.</b>	FL242125
<b>Spec.</b>	P21W
<b>Volt</b>	24
<b>Watt</b>	21
<b>Base</b>	BA15s

## PY21W

E4




Front/rear indicators

<b>Part No.</b>	FL242125A
<b>Spec.</b>	PY21W
<b>Volt</b>	24
<b>Watt</b>	21
<b>Base</b>	BAU15s

## P21/4W P21/5W

E4




Stop lights, rear parking lights

<b>Part No.</b>	FL2421425	FL2421525
<b>Spec.</b>	P21/4W	P21/5W
<b>Volt</b>	24	24
<b>Watt</b>	21/4	21/5
<b>Base</b>	BAZ15d	BAY15d

## C5W-36

E4




Interior lights, license plate, running lights

<b>Part No.</b>	FL245×36
<b>Spec.</b>	C5W
<b>Volt</b>	24
<b>Watt</b>	5
<b>Base</b>	SV8.5

## T4W


E4



Front parking lights, running lights

<b>Part No.</b>	FL2444
<b>Spec.</b>	T4W
<b>Volt</b>	24
<b>Watt</b>	4
<b>Base</b>	BA9s

## H21W




Front/rear/side indicators, rear fog  
lights, stop lights


<b>Part No.</b>	FL242121
<b>Spec.</b>	H21W
<b>Volt</b>	24
<b>Watt</b>	21
<b>Base</b>	BAY9s




# MINI RELAYS




Normally open relays with 4 terminals		
Part No.	Amperage	Bracket Spec.
FLR001	30A	-
FLR002	30A	With resistance
FLR003	40A	-
FLR004	20A	-
FLR005	20A	With resistance




Normally open relays with 4 terminals		
Part No.	Amperage	Bracket Spec.
FLR006	30A	-
FLR007	40A	With resistance
FLR008	20A	-




Normally open relays with 5 terminals		
Part No.	Amperage	Bracket Spec.
FLR009	30A	-
FLR010	40A	-
FLR011	20A	-
FLR012	30A	-




Changeover relay		
Part No.	Amperage	Bracket Spec.
FLR013	20/30A	-
FLR014	10/20A	-



High power relay		
Part No.	Amperage	Bracket Spec.
FLR023	40A	Audi/VW type
FLR024	70A	-
FLR025	40A	-
FLR026	70A	-



High power changeover		
Part No.	Amperage	Bracket Spec.
FLR027	70/40A	-
FLR028	40/30A	-




Changeover relay									
Part No.	FLR015	FLR016	FLR017	FLR018	FLR019	FLR020	FLR021	FLR022	
	Amperage	20/30A	20/30A	20/30A	10/20A	10/20A	10/20A	30/40A	20/30A
Bracket Spec.	-	With resistance	With diode	-	With resistance	With diode	High power change over	High power change over	



# FUSES




### STANDARD PLUG-IN FUSES




Part No.	Amperage	Color
FLNF001	1A	Green
FLNF002	2A	Grey
FLNF003	3A	Violet
FLNF004	4A	Pink
FLNF005	5A	Orange
FLNF075	7.5A	Brown
FLNF010	10A	Red
FLNF015	15A	Light Blue
FLNF020	20A	Yellow
FLNF025	25A	White
FLNF030	30A	Light Green
FLNF040	40A	Orange

### LARGE PLUG-IN FUSES



Part No.	Amperage	Color
FLMF020	20A	Yellow
FLMF030	30A	Green
FLMF040	40A	Orange
FLMF050	50A	Red
FLMF060	60A	Light Blue
FLMF070	70A	Brown
FLMF080	80A	White
FLMF100	100A	Violet

### SMALL PLUG-IN FUSES










Part No.	Amperage	Color
FLMNF02	2A	Grey
FLMNF03	3A	Violet
FLMNF04	4A	Pink
FLMNF05	5A	Orange
FLMNF75	7.5A	Brown
FLMNF10	10A	Red
FLMNF15	15A	Light Blue
FLMNF20	20A	Yellow
FLMNF25	25A	White
FLMNF30	30A	Green








A large, light blue line-art illustration of various electrical sockets and outlets, including standard wall outlets, a rotary switch, and a multi-outlet strip, arranged in a circular pattern. The word "SOCKETS" is overlaid in the center in a bold, yellow, sans-serif font.

# SOCKETS

## CERAMICS

Part No.	Designation
 FLSC4	Socket for H4 With Cable With Ceramic
 FLSC9004/7	Socket for 9004/9007 With Cable With Ceramic
 FLSC1/3	Holder for H1/H3 With Cable With Ceramic
 FLSC7	Socket for H7 With Cable With Ceramic
 FLSC9005	Socket for HB3 With Cable With Ceramic
 FLSC9006	Socket for HB4 With Cable With Ceramic
 FLSCFOG	Socket for H8,H11,H27 With Cable With Ceramic

## PLASTIC

Part No.	Designation
 FLSPH4	Socket for H4 With Cable Without Ceramic
 FLSP9004/7	Socket for 9004/9007 With Cable Without Ceramic
 FLSPH1/3	Holder for H1/H3 With Cable Without Ceramic
 FLSPH7	Socket for H7 With Cable Without Ceramic
 FLSP9005	Socket for HB3 With Cable Without Ceramic
 FLSP9006	Socket for HB4 With Cable Without Ceramic
 FLSPFOG	Socket for H8,H11,H27 With Cable Without Ceramic

# PACKAGING



# PRODUCT GLOSSARY

## 12V LIGHTING

										
H1	H3	H4	H7	H8	H9	H10	H11	H12	H13	H15
										
H16	H8B	H9B	H11B	H18	H19	9004	9005	9005XS	9006	9006XS
										
9007	9011	9012	880	881	885	PS24W	PSX24W	PCY16W	PSY19W	PSY24W
										
PY24W	PS19W	P13W	PSY24W SILVER AMBER	HP24W	HP24WY					

## 12V SIGNALING & INTERIOR LIGHTING

										
W1,2W	W2,3W	W3W	W5W	WY5W	W16W	WY16W	W21W	WY21W	W21/5W	P27W
										
P27/7W	PY27/7W	P21W	PY21W	P21/4W	P21/5W	R5W	R10W	RY10W	T4W	C5W-36
										
FESTOON -31MM	FESTOON -38MM	FESTOON -41MM	FESTOON -43MM	H6W	H21W	H10W				

# PRODUCT GLOSSARY

## 12V MOTORCYCLE ONLY LIGHTING



HS1



M5-1



M5-3



M5-BA20d



R2



S2

## 24V HEAVY DUTY LIGHTING



H1



H3



H4



H7



H11

## 24V SIGNALING & INTERIOR LIGHTING



W1, 2W



W3W



W5W



R5W



R10W



P21W



PY21W



P21/4W



P21/5W



C5W



T4W



H21W

## HID BULBS



D1S



D1R



D2S



D2R



D3S



D3R



D4S




















































D4R



D5S

# PRODUCT BASE

 <p>P14,5s IEC 7004-46</p>	 <p>PK22s IEC 7004-47</p>	 <p>PX26d IEC 7004-5</p>	 <p>PY26d-1 IEC 7004-5</p>	 <p>PY26d-6 IEC 7004-5</p>	 <p>P43t-38 IEC 7004-39</p>	 <p>PX43t-38 IEC 7004-34</p>
 <p>PY20d IEC 7004-31</p>	 <p>PZ20d IEC 7004-31-2</p>	 <p>PGJ13 IEC 7004-107</p>	 <p>PG13 IEC 7004-107</p>	 <p>PGJ19-1 IEC 7004-110</p>	 <p>PGJ19-2 IEC 7004-110</p>	 <p>PGJ19-3 IEC 7004-110</p>
 <p>PGJ19-5 IEC 7004-110</p>	 <p>PGJY19-1 IEC 7004-146</p>	 <p>PGJY19-2 IEC 7004-146</p>	 <p>PGJY19-5 IEC 7004-146</p>	 <p>PGJ23t-1 IEC 7004-155</p>	 <p>P29t IEC 7004-66</p>	 <p>PX29t IEC 7004-66</p>
 <p>P26,4t IEC 7004-128</p>	 <p>P20d IEC 7004-31</p>	 <p>P22d IEC 7004-32</p>	 <p>PX20d IEC 7004-31</p>	 <p>PX22d IEC 7004-32</p>	 <p>P20d IEC 7004-31</p>	 <p>P22d IEC 7004-32</p>
 <p>SV6 IEC 7004-5</p>	 <p>SV8,5-8 IEC 7004-81</p>	 <p>W2x4,6d IEC 7004-94</p>	 <p>W2,1x9,5d IEC 7004-91</p>	 <p>W3x16d IEC 7004-105</p>	 <p>W3x16q IEC 7004-106</p>	 <p>WX3x16d IEC 7004-105</p>
 <p>BA9s IEC 7004-14</p>	 <p>BAX9s IEC 7004-8</p>	 <p>BAZ9s IEC 7004-150</p>	 <p>BAY9s IEC 7004-9</p>	 <p>BAW9s IEC 7004-149</p>	 <p>BA 15s IEC 7004-11A</p>	 <p>BA 15d IEC 7004-11A</p>
 <p>BAU 15s IEC 7004-19</p>	 <p>BAW 15s IEC 7004-11E</p>	 <p>BAW 15d IEC 7004-11E</p>	 <p>BAZ 15d IEC 7004-11C</p>	 <p>BAY 15d IEC 7004-11B</p>	 <p>PX32d IEC 7004-111</p>	 <p>P32d IEC 7004-111</p>

# OUR PROCESS

Quality and consistency are the golden threads running through everything we at THE FIRST LIGHT do. We hold our products, our equipment, and ourselves to the very highest of standards, conducting constant self-audits and ongoing training for all of our valued employees.

# OUR PROMISE

Quality comes from caring, and we genuinely do. That's why we always put long-term partnerships over short-term profits. We work hard every day to earn and nurture those relationships, and offer you the same guarantee we give our closest collaborators:

We will always deliver the most cost-to-quality value in the market, and will always do everything in our power to help your business succeed.